2016

MATHEMATICS

(Major)

Paper: 2.2

(Differential Equation)

Full Marks: 80

Time: 3 hours

The figures in the margin indicate full marks for the questions

1. Answer the following:

1×10=10

- (a) What does the singular solution of a differential equation represent?
- (b) Give one example of a linear differential equation.
- (c) Write the complementary function of $(D^2 + 4) y = x^2 \sin 2x$
- (d) Write the form of a total differential equation.
- (e) What does the complete integral of a first-order partial differential equation represent?
- (f) Give an example of a first-order and second-degree differential equation.

- (g) When a total differential equation is said to be exact?
- (h) Define linear partial differential equation.
- (i) What is an ordinary differential equation?
- (j) Write down the order and degree of

$$x^2 \left(\frac{d^2 y}{dx^2}\right)^3 + y \left(\frac{dy}{dx}\right)^4 + y^4 = 0$$

2. Answer any five of the following questions:

2×5=10

- (a) Prove that $y = \sin x$ is a part of complementary function of $(\sin x x \cos y)y'' x \sin xy' + y \sin x = 0$
- (b) Give a geometrical interpretation of the equation $\frac{dx}{P} = \frac{dy}{Q} = \frac{dz}{R}$, where P, Q, R are the functions of x, y, z.
- (c) Find the differential equation of the family of curves $y = me^{2x} + ne^{-2x}$ for different values of m and n.
- (d) Solve $\frac{dy}{dx} = \sec(x+y)$.
- (e) Find a partial differential equation by eliminating a and b from $az + b = a^2x + y$.
- (f) Solve $\frac{dy}{dx} = \frac{y}{x} + \tan \frac{y}{x}$.

3. Answer any *five* of the following questions:

4×5=20

- (a) Reduce $y = 2px + y^2p^3$ to Clairaut's form using the transformation $y^2 = v$ and hence solve it.
- (b) Solve $(D^2 2D + 1)y = \cos 3x$.
- (c) Solve (ax + hy + g) dx + (hx + by + f) dy = 0.
- (d) Solve $\frac{dx}{z(x+y)} = \frac{dy}{z(x-y)} = \frac{dz}{x^2+y^2}$.
- (e) Solve by the method of variation of parameters $\frac{d^2y}{dx^2} + a^2y = \sec ax$.
- (f) Solve:

$$\frac{dx}{dt} + \frac{dy}{dt} - 2y = 2\cos t - 7\sin t$$
$$\frac{dx}{dt} - \frac{dy}{dt} + 2x = 4\cos t - 3\sin t$$

4. Answer any five of the following questions:

6×5=30

- (a) Solve $\frac{d^4y}{dx^4} + m^4y = 0$.
- (b) Verify the condition of integrability for $(2x^2 + 2xy + 2xz^2 + 1)dx + dy + 2zdz = 0$ and solve it.
- (c) Solve $z(z^2 + xy)(px qy) = x^4$.

Find a complete integral of (d) $z^2(p^2z^2+q^2)=0$

by Charpit's method.

- Form a partial differential equation by (e) eliminating the arbitrary function of from $\phi(x^2 + y^2 + z^2, z^2 - 2xy) = 0$
- (f) Find f(y) s.t. $\{(yz+z)/x\}dx-zdy+f(y)dz=0$ is integrable. Also find the corresponding integral.
- 5. Answer either (a) and (b) or (c) and (d): 5+5=10
 - Solve $x^2y'' + xy' y = 0$, given that $x + \frac{1}{x}$ is one integral.
 - (b) and v are two independent particular integrals of the equation

$$\frac{d^2y}{dx^2} + P(x)\frac{dy}{dx} + Q(x)y = 0$$

prove that $u \frac{dv}{dx} - v \frac{du}{dx} = c \cdot e^{-\int P dx}$.

- Solve $y'' \cos x + y' \sin x 2y \cos^3 x = 2\cos^5 x$ (c) by changing the independent variable.
- (d) Find the equation of the integral surface of the differential equation

$$(x^2 - yz) p + (y^2 - zx) q = z^2 - xy$$

which passes through the lines x = 1, y = 0.

* * *